

斜屋頂作業安全




勞動部職業安全衛生署 關心您
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION, MINISTRY OF LABOR

電梯直井吊料作業安全



勞動部職業安全衛生署 關心您
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION, MINISTRY OF LABOR

樓板開口作業安全



勞動部職業安全衛生署 關心您
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION, MINISTRY OF LABOR

擋土支撐作業安全




案例：勞工行走於支撐上，因未設置安全通道及防墜設施，致勞工由高度3.5公尺之支撐上墜落至筏基板。



勞動部職業安全衛生署 關心您
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION, MINISTRY OF LABOR

鋼構電焊作業安全



勞動部職業安全衛生署 關心您
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION, MINISTRY OF LABOR

水泥會咬人 皮膚紅又爛



營造作業勞工朋友要注意，水泥中的強鹼極容易造成化學性燒傷，一旦經常直接接觸皮膚表層會受損，就很容易造成紅、腫、熱、痛、癢與潰爛的刺激性皮膚病。

水泥引起職業性皮膚病之預防方法：

1. 適當及足夠的防護：如手套、工作服、隔離霜。
2. 工作後應將身體特別是手部清潔乾淨。
3. 了解和避免接觸到各種可能潛在的過敏原
4. 混入硫化鐵以降低水泥中六價鉻的濃度。
5. 定期健康檢查，早期發現及治療、避免皮膚持續惡化。



勞動部職業安全衛生署 關心您
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION, MINISTRY OF LABOR